


TP | **TECCO:PAPER**
PRODUCTION

PRODUCT RANGE 09/2011

INKJET PAPER



www.tecco.de

Tecco[®]
living paper

Index

1. TECCO:PAPER PRODUCTION

The **TECCO:PRODUCTION** product range contains tailor made printing substrates for all kinds of professional applications. They assure the maximum of flexibility due to the variety of products, sizes and applications. The printing quality meets the highest achievable standards.

The **TECCO:PRODUCTION** portfolio offers papers and printing substrates for all types of indoor and outdoor applications in the inkjet market.

- 1.1. Matt printing media
- 1.2. Glossy and semi matt printing media
- 1.3. Transparent printing media
- 1.4. Self-adhesive printing media
- 1.5. Textile and textile-like printing media
- 1.6. Complementary products

2. TECCO:PAPER PHOTO

TECCO:PHOTO papers are produced for use with all the well known inkjet printers and inks, various sizes are available from traditional photo size (10 x 15 cm) to 64 inch plotter rolls for wide format applications.



Professional photo prints can be achieved by using the TECCO:PHOTO RGB ICC profiles for Adobe™ Photoshop® which are available for most common inkjet printers for Windows® and Macintosh® systems. For more information please visit: <http://www.tecco-photo.de/EN/downloads.php>



Professional Portrait

The TECCO:PHOTO Professional Portrait papers have been especially developed for the professional portrait photographer with the highest quality requirements. Besides classic matt, satin or glossy Ink-Jet papers, you will find in our Professional Portrait range special coated papers which are very close in appearance and feel to the traditional analogue portrait papers.



Photographers Selection

The TECCO:PHOTO Photographers Selection contains a unique selection of special media for prints in an extraordinary quality level. From a classical Baryt-Paper over duplex-coated album papers to ultra-white high glossy media, you will find exactly the products you need to provide your prints with that extra touch.



FineArt

The TECCO:PHOTO FineArt range contains a large variety of high quality papers for creative photographers and ambitious artists. From canvas to paper and cotton based artist papers, you will find in the TECCO:PHOTO FineArt portfolio a number of 100 % acid free, PH neutral products. Some of which are suitable for archival FineArt, with an average paper life time of more than 100 years.

3. TECCO:PAPER LASER

TECCO:LASER products enable you to achieve the maximum quality output from your laser printer.

The huge variety of different types of laser papers fulfill the requirements of a demanding market.

TECCO:LASER media distinguish themselves by a perfect toner adhesion, unique color fidelity and outstanding sharpness.

- 3.1. Matt printing media
- 3.2. Glossy and semi matt printing media
- 3.3. Transparent printing media
- 3.4. Self-adhesive printing media
- 3.5. Transfer papers
- 3.6. Printing media for special applications

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION ME80 Matt Economy (80 g/sqm)

Uncoated paper, e.g. for CAD and layout proofs;
universal paper with excellent price /
performance ratio

**** full pallet**

6755610050	6 rolls	61,0 cm x 50 m (24")	2"
6755610069	20x6 r. **	61,0 cm x 50 m (24")	2"
6755914050	6 rolls	91,4 cm x 50 m (36")	2"
6755914069	12x6 r. **	91,4 cm x 50 m (36")	2"
6755914100	2 rolls	91,4 cm x 100 m (36")	2"
6755107050	6 rolls	106,7 cm x 50 m (42")	2"
6755107069	12x6 r. **	106,7 cm x 50 m (42")	2"
6755107100	2 rolls	106,7 cm x 100 m (42")	2"

TECCO:PRODUCTION MB90 Matt Basic (90 g/sqm)

Uncoated paper , e.g. for CAD and layout proofs

***) All roll units are supplied with
each two adapters 3" to 2" core.**

**** full pallet**

5911210297	200 sheets	DIN A4	
5911297420	200 sheets	DIN A3	
5911330483	200 sheets	DIN A3+	
5911420594	200 sheets	DIN A2	
5911480628	200 sheets	DIN A2+	
5911594841	200 sheets	DIN A1	
5911625914	200 sheets	DIN A1+	
5911841118	200 sheets	DIN A0	
5911914125	200 sheets	DIN A0++	
5911432051	roll	43,2 cm x 50 m (17")	3" *)
5911432069	80 r. **	43,2 cm x 50 m (17")	3" *)
5911610050	roll	61,0 cm x 50 m (24")	2"
5911610069	80 r. **	61,0 cm x 50 m (24")	2"
5911914050	roll	91,4 cm x 50 m (36")	2"
5911914069	50 r. **	91,4 cm x 50 m (36")	2"
5911107050	roll	106,7 cm x 50 m (42")	2"
5911107069	50 r. **	106,7 cm x 50 m (42")	2"
5911111050	roll	111,8 cm x 50 m (44")	2"
5911111069	50 r. **	111,8 cm x 50 m (44")	2"
5911127050	roll	127,0 cm x 50 m (50")	2"
5911999998	Sample	43,2 cm x 5 m (17")	3" *)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION DIL Preproofer DUO Ecoprint

(90 g/sqm)



Double-side uncoated and calandered paper, high resolution, 1440 dpi for 2-side proofing; especially for X700/X900

6798584076 roll
6798109076 roll

58,42 cm x 75 m (23")
109,22 cm x 75 m (43")

3"
3"



packing units:

23"x75m: 80 rolls per pallet or 36 rolls per welltainer
43"x75m: 40 rolls per pallet or 20 rolls per welltainer

TECCO:PRODUCTION MB120 Matt Basic

(120 g/sqm)



Uncoated paper , e.g. for CAD and layout proofs; suitable also for 2-side prints

6753330483 200 sheets
6753432050 roll
6753432069 80 r. **
6753610050 roll
6753610069 80 r. **
6753914050 roll
6753914069 50 r. **
6753914076 roll
6753107050 roll
6753107069 50 r. **
6753109076 roll
6753127076 roll
6753137051 roll
6753152051 roll
6753162051 roll

DIN A3+

43,2 cm x 50 m (17") 3" *)
43,2 cm x 50 m (17") 3" *)
61,0 cm x 50 m (24") 2"
61,0 cm x 50 m (24") 2"
91,4 cm x 50 m (36") 2"
91,4 cm x 50 m (36") 2"
91,4 cm x 75 m (36") 3" *)
106,7 cm x 50 m (42") 2"
106,7 cm x 50 m (42") 2"
109,0 cm x 75 m (42,9") 3" *)
127,0 cm x 75 m (50") 3" *)
137,2 cm x 50 m (54") 3" *)
152,4 cm x 50 m (60") 3" *)
162,6 cm x 50 m (64") 3" *)



*) All roll units are supplied with each two adapters 3" to 2" core.

**) full pallet

6753999999 Sample

43,2 cm x 5 m (17") 3" *)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION DIL Preproofer Impocheck

(120 g/sqm)



Double-side uncoated and calandered paper, high resolution, 1440 dpi for 2-side proofing; 23"/46" widths are especially for X700/X900 preproofer.



Packing units: 23"/24"x60m: 30 rolls per pallet or 10 rolls per welltainer; 43"/ 44"x60m: 15 rolls per pallet or 6 rolls per welltainer

6519610062	roll	61,0 cm x 60 m (24")	6"
6519111062	roll	111,8 cm x 60 m (44")	6"
NEW 6519584061	roll	58,4cm x 60m (23")	3"
NEW 6519109061	roll	109,2cm x 60m (43")	3"



TECCO:PRODUCTION MC90 Matt Coated

(90 g/sqm)



The mark of responsible forestry

Coated paper, high resolution, 1440 dpi, for poster prints, **universal paper with excellent price / performance ratio**

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) full pallet**

6768210297	200 sheets	DIN A4	
6768297420	200 sheets	DIN A3	
6768330483	200 sheets	DIN A3+	
6768420594	200 sheets	DIN A2	
6768432071	roll	43,2 cm x 70 m (17")	3" *)
6768432069	80 R.**	43,2 cm x 70 m (17")	3" *)
6768610070	roll	61,0 cm x 70 m (24")	2"
6768610069	80 R.**	61,0 cm x 70 m (24")	2"
6768914070	roll	91,4 cm x 70 m (36")	2"
6768914069	50 R.**	91,4 cm x 70 m (36")	2"
6768107070	roll	106,7 cm x 70 m (42")	2"
6768107069	50 R.**	106,7 cm x 70 m (42")	2"
6768111070	roll	111,8 cm x 70 m (44")	2"
6768111069	50 R.**	111,8 cm x 70 m (44")	2"
6768127070	roll	127,0 cm x 70 m (50")	2"
6768137070	roll	137,2 cm x 70 m (54")	2"
6768152070	roll	152,4 cm x 70 m (60")	2"
6768999999	Sample	43,2 cm x 5 m (17")	3" *)



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION PMC90 Premium Matt Coated

(90 g/sqm)



The mark of responsible forestry

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks. **Excellent price / performance ratio.**

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) full pallet**



6763210297	200 sheets		DIN A4		
6763297420	200 sheets		DIN A3		
6763330483	200 sheets		DIN A3+		
6763420594	200 sheets		DIN A2		
6763480628	200 sheets		DIN A2+		
6763594841	200 sheets		DIN A1		
6763625914	200 sheets		DIN A1+		
6763841118	200 sheets		DIN A0		
6763914125	200 sheets		DIN A0++		
6763210015	roll	21,0 cm x 15 m (8,3")		2"	
6763329015	roll	32,9 cm x 15 m (13")		2"	
6763420015	roll	42,0 cm x 15 m (16,5")		1"	
6763432045	roll	43,2 cm x 45 m (17")		3" *)	
6763432069	80 r. **	43,2 cm x 45 m (17")		3" *)	
6763610045	roll	61,0 cm x 45 m (24")		2"	
6763610069	80 r. **	61,0 cm x 45 m (24")		2"	
6763610070	roll	61,0 cm x 70 m (24")		2"	
6763914045	roll	91,4 cm x 45 m (36")		2"	
6763914069	50 r. **	91,4 cm x 45 m (36")		2"	
6763914070	roll	91,4 cm x 70 m (36")		2"	
6763107045	roll	106,7 cm x 45 m (42")		2"	
6763107069	50 r. **	106,7 cm x 45 m (42")		2"	
6763111045	roll	111,8 cm x 45 m (44")		2"	
6763111069	50 r. **	111,8 cm x 45 m (44")		2"	
6763127045	roll	127,0 cm x 45 m (50")		2"	
6763135045	roll	135,0 cm x 45 m (53,125")		3" *)	
6763137045	roll	137,2 cm x 45 m (54")		2"	
6763137070	roll	137,2 cm x 70 m (54")		2"	
6763152045	roll	152,4 cm x 45 m (60")		2"	
6763999997	Sample	43,2 cm x 5 m (17")		3" *)	

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION MC120 Matt Coated

(120 g/sqm)



The mark of responsible forestry

Coated paper, high resolution, 2880 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

*) All roll units are supplied with each two adapters 3" to 2" core.

**) full pallet



5949210297	200 sheets	DIN A4	
5949297420	200 sheets	DIN A3	
5949330483	200 sheets	DIN A3+	
5949420594	200 sheets	DIN A2	
5949480628	200 sheets	DIN A2+	
5949594841	200 sheets	DIN A1	
5949625914	200 sheets	DIN A1+	
5949329015	roll	32,9 cm x 15 m (13")	2"
5949432035	roll	43,2 cm x 35 m (17")	3" *)
5949432069	80 r. **	43,2 cm x 35 m (17")	3" *)
5949610035	roll	61,0 cm x 35 m (24")	2"
5949610069	80 r. **	61,0 cm x 35 m (24")	2"
5949914036	roll	91,4 cm x 35 m (36")	3" *)
5949914035	roll	91,4 cm x 35 m (36")	2"
5949914069	50 r. **	91,4 cm x 35 m (36")	2"
5949107035	roll	106,7 cm x 35 m (42")	2"
5949107069	50 r. **	106,7 cm x 35 m (42")	2"
5949111035	roll	111,8 cm x 35 m (44")	2"
5949111069	50 r. **	111,8 cm x 35 m (44")	2"
5949111036	roll	111,8 cm x 35 m (44")	3" *)
5949127035	roll	127,0 cm x 35 m (50")	2"
5949135035	roll	135,0 cm x 35 m (53,125")	3" *)
5949137035	roll	137,2 cm x 35 m (54")	2"
5949137036	roll	137,2 cm x 35 m (54")	3" *)
5949152035	roll	152,4 cm x 35 m (60")	2"
5949999998	Sample	43,2 cm x 5 m (17")	3" *)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION PMC120 Premium Matt Coated

(120 g/sqm)



Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.



The mark of responsible forestry



5984210297	100 sheets	DIN A4	
5984297420	100 sheets	DIN A3	
5984330483	100 sheets	DIN A3+	
5984420594	100 sheets	DIN A2	
5984480628	100 sheets	DIN A2+	
5984594841	100 sheets	DIN A1	
5984625914	100 sheets	DIN A1+	
5984841118	100 sheets	DIN A0	
5984914125	100 sheets	DIN A0++	
5984250035	roll	25,0 cm x 35 m (10")	2"
5984297035	roll	29,7 cm x 35 m (11,7")	2"
5984297050	roll	29,7 cm x 50 m (11,7")	3" *)
5984420035	roll	42,0 cm x 35 m (16,5")	2"
5984432036	roll	43,2 cm x 35 m (17")	3" *)
5984594050	roll	59,4 cm x 50 m (23,4")	3" *)
5984610035	roll	61,0 cm x 35 m (24")	2"
5984914035	roll	91,4 cm x 35 m (36")	2"
5984914050	roll	91,4 cm x 50 m (36")	3" *)
5984107035	roll	106,7 cm x 35 m (42")	2"
5984107050	roll	106,7 cm x 50 m (42")	3" *)
5984112035	roll	111,8 cm x 35 m (44")	2"
5984127035	roll	127,0 cm x 35 m (50")	2"
5984135035	roll	135,0 cm x 35 m (53,125")	3" *)
5984137035	roll	137,2 cm x 35 m (54")	2"
5984137050	roll	137,2 cm x 50 m (54")	3" *)
5984152035	roll	152,4 cm x 35 m (60")	2"
5984162036	roll	162,6 cm x 35 m (64")	3" *)
5984182035	roll	182,8 cm x 35 m (72")	2"
5984999997	Sample	43,2 cm x 5 m (17")	3" *)

*) All roll units are supplied with each two adapters 3" to 2" core.

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matte Bedruckstoffe

TECCO:PRODUCTION PMC145 Premium Matt Coated

(145 g/qm)



The mark of responsible forestry

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

*) All roll units are supplied with each two adapters 3" to 2" core.

NEW	6760210297	100 sheets	DIN A4		
NEW	6760297420	100 sheets	DIN A3		
NEW	6760330483	100 sheets	DIN A3+		
NEW	6760420594	100 sheets	DIN A2		
NEW	6760432036	roll	43,2 cm x 35 m (17")	3" *	
NEW	6760610036	roll	61,0 cm x 35 m (24")	3" *	
NEW	6760914036	roll	91,4 cm x 35 m (36")	3" *	
NEW	6760107036	roll	106,7 cm x 35 m (42")	3" *	
NEW	6760111036	roll	111,8 cm x 35 m (44")	3" *	
NEW	6760127036	roll	127,0 cm x 35 m (50")	3" *	
NEW	6760152036	roll	152,4 cm x 35 m (60")	3" *	
NEW	6760999999	roll	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION PMC180 Premium Matt Coated

(180 g/sqm)



The mark of responsible forestry

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

*) All roll units are supplied with each two adapters 3" to 2" core.

	6762210297	100 sheets	DIN A4		
	6762297420	100 sheets	DIN A3		
	6762330483	100 sheets	DIN A3+		
	6762420594	100 sheets	DIN A2		
	6762594841	100 sheets	DIN A1		
	6762625914	100 sheets	DIN A1+		
	6762329036	roll	32,9 cm x 35 m (13")	3" *	
	6762432036	roll	43,2 cm x 35 m (17")	3" *	
	6762594036	roll	59,4 cm x 35 m (23,4")	3" *	
	6762610036	roll	61,0 cm x 35 m (24")	3" *	
	6762914036	roll	91,4 cm x 35 m (36")	3" *	
	6762107036	roll	106,7 cm x 35 m (42")	3" *	
	6762111036	roll	111,8 cm x 35 m (44")	3" *	
	6762127036	roll	127,0 cm x 35 m (50")	3" *	
	6762137036	roll	137,2 cm x 35 m (54")	3" *	
	6762152036	roll	152,4 cm x 35 m (60")	3" *	
	6762162036	roll	162,6 cm x 35 m (64")	3" *	
	6762999999	Sample	43,2 cm x 5 m (17")	3" *	



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matte Bedruckstoffe

TECCO:PRODUCTION DMC100 DUO Matt Coated

(100 g/sqm)



Premium double side coated paper, high resolution, 2880 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.



The mark of responsible forestry

*) All roll units are supplied with each two adapters 3" to 2" core.



5974210297	200 sheets	DIN A4	
5974211297	50 sheets	DIN A4	
5974297420	200 sheets	DIN A3	
5974330483	200 sheets	DIN A3+	
5974420594	200 sheets	DIN A2	
5974813107	200 sheets	81,3 cm x 106,7 cm	
5974841118	200 sheets	DIN A0	
5974432046	roll	43,2 cm x 45 m (17")	3" *)
5974610045	roll	61,0 cm x 45 m (24")	2"
5974914045	roll	91,4 cm x 45 m (36")	2"
5974107045	roll	106,7 cm x 45 m (42")	2"
59714107046	roll	106,7 cm x 45 m (42")	3" *)
5974107075	roll	106,7 cm x 75 m (42")	2"
5974111045	roll	111,8 cm x 45 m (44")	2"
5974127045	roll	127,0 cm x 45 m (50")	2"
5974127076	roll	127,0 cm x 75 m (50")	3" *)
5974152045	roll	152,4 cm x 45 m (60")	2"
5974999998	Sample	43,2 cm x 5 m (17")	3" *)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW part no. unit size core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION DIL Preproofer DUO Matt (100 g/sqm)



Premium double side coated paper, high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer. Widths 23" and 46" are especially for X700/X900 Preproofer.



The mark of responsible forestry

	5938610060	roll	61,0 cm x 60 m (24")	6"	
	5938112060	roll	111,8 cm x 60 m (44")	6"	
NEW	5938584061	roll	58,4cm x 60m (23")	3"	
NEW	5938109061	roll	109,2cm x 60m (43")	3"	

TECCO:PRODUCTION DMC130 DUO Matt Coated (130 g/sqm)



Premium double side coated paper, high resolution, 2880 dpi



The mark of responsible forestry

	5939210297	100 sheets	DIN A4		
	5939297420	100 sheets	DIN A3		
	5939330483	100 sheets	DIN A3+		
	5939420594	100 sheets	DIN A2		
	5939594841	100 sheets	DIN A1		
	5939813107	100 sheets	81,3 cm x 106,7 cm		
	5939940128	100 sheets	94,0 cm x 128,0 cm		
	5939432036	roll	43,2 cm x 35 m (17")	3" *)	
	5939610035	roll	61,0 cm x 35 m (24")	2"	
	5939914035	roll	91,4 cm x 35 m (36")	2"	
	5939107035	roll	106,7 cm x 35 m (42")	2"	
	5939107036	roll	106,7 cm x 35 m (42")	3" *)	
	5939111035	roll	111,8 cm x 35 m (44")	2"	
	5939999997	Sample	43,2 cm x 5 m (17")	3" *)	

*) All roll units are supplied with each two adapters 3" to 2" core.

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION DMC170 DUO Matt Coated

(170 g/sqm)



Premium double side coated paper, high resolution, 2880 dpi, e. g. for poster plots, tickets, business cards, invitations, certificates, menus etc.



The mark of responsible forestry

*) All roll units are supplied with each two adapters 3" to 2" core.

5946210297	100 sheets	DIN A4		
5946297420	100 sheets	DIN A3		
5946330483	100 sheets	DIN A3+		
5946420594	100 sheets	DIN A2		
5946594841	100 sheets	DIN A1		
5946841118	100 sheets	DIN A0		
5946940128	100 sheets	94,0 cm x 128,0 cm		
NEW 5946329031	roll	32,9 cm x 30 m (13")	3" *	
5946432031	roll	43,2 cm x 30 m (17")	3" *	
5946610031	roll	61,0 cm x 30 m (24")	3" *	
5946914031	roll	91,4 cm x 30 m (36")	3" *	
5946107031	roll	106,7 cm x 30 m (42")	3" *	
5946111031	roll	111,8 cm x 30 m (44")	3" *	
5946999997	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION Synthetic Paper WR 100

(100 g/sqm)

Polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6756432046	roll	43,2 cm x 45 m (17")	3" *	
6756610046	roll	61,0 cm x 45 m (24")	3" *	
6756904046	roll	91,4 cm x 45 m (36")	3" *	
6756107046	roll	106,7 cm x 45 m (42")	3" *	
6756111046	roll	111,8 cm x 45 m (44")	3" *	
6756127046	roll	127,0 cm x 45 m (50")	3" *	
6756137046	roll	137,2 cm x 45 m (54")	3" *	
6756152046	roll	152,4 cm x 45 m (60")	3" *	
6756999999	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION Tyvek WF

(150 g/sqm)

Strong, tear proof, paper-like product, e. g. for banner printing and other outdoor applications

*) All roll units are supplied with each two adapters 3" to 2" core.

6034210297	50 sheets	DIN A4		
6034297420	50 sheets	DIN A3		
6034330483	50 sheets	DIN A3+		
6034420594	100 sheets	DIN A2		
6034329010	roll	32,9 cm x 10 m (13")	2"	
6034420010	roll	42,0 cm x 10 m (16,5")	1"	
6034432021	roll	43,2 cm x 20 m (17")	3" *)	
6034610020	roll	61,0 cm x 20 m (24")	2"	
6034914020	roll	91,4 cm x 20 m (36")	2"	
6034107020	roll	106,7 cm x 20 m (42")	2"	
6034112020	roll	111,8 cm x 20 m (44")	2"	
6034127020	roll	127,0 cm x 20 m (50")	2"	
6034135020	roll	135,0 cm x 20 m (53,125")	3" *)	
6034137020	roll	137,0 cm x 20 m (54")	2"	



TECCO:PRODUCTION Vinyl Banner WR/II

(510 µ)

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6752432016	roll	43,2 cm x 15 m (17")	3" *)	
6752610015	roll	61,0 cm x 15 m (24")	2"	
6752914015	roll	91,4 cm x 15 m (36")	2"	
6752107015	roll	106,7 cm x 15 m (42")	2"	
6752112015	roll	111,8 cm x 15 m (44")	2"	
6752127015	roll	127,0 cm x 15 m (50")	2"	



6752999998 Sample 43,2 cm x 5 m (17") 3" *)

Printing media

NEW part no. unit size core

Special characteristics
(depending on ink used)

1. Matte Bedruckstoffe

TECCO:PRODUCTION Vinyl Premium Banner WR

(510 µ)

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks, bright white, premium quality

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	6832432016	roll	43,2 cm x 15 m (17")	3" *)
NEW	6832610016	roll	61,0 cm x 15 m (24")	3" *)
NEW	6832914016	roll	91,4 cm x 15 m (36")	3" *)
NEW	6832107016	roll	106,7 cm x 15 m (42")	3" *)
NEW	6832112016	roll	111,8 cm x 15 m (44")	3" *)
NEW	6832127016	roll	127,0 cm x 15 m (50")	3" *)
NEW	6832137016	roll	137,0 cm x 15 m (54")	3" *)
NEW	6832152016	roll	152,0 cm x 15 m (60")	3" *)
NEW	6832999998	Sample	43,2 cm x 5 m (17")	3" *)



TECCO:PRODUCTION Roll-Up PET220

(220 µ)

The Roll-Up PET 220 is a highly white rigid vinyl film with a very high opacity (BLOCK-OUT). It is an outstanding product with a perfect flatness dedicated to high quality prints with either dye or pigmented inks.

Just a good results can be achieved in combination with mild solvent inks.

In combination with the TECCO:PRODUCTION Roll-Up Display this substrate is the ideal solution for high quality presentations with an excellent price / performance ratio.

***) All roll units are supplied with each two adapters 3" to 2" core.**

	6757600021	roll	60,0 cm x 20 m (23,6")	3" *)
	6757610021	roll	61,0 cm x 20 m (24")	3" *)
	6757850021	roll	85,0 cm x 20 m (33,4")	3" *)
	6757914021	roll	91,4 cm x 20 m (36")	3" *)
	6757100021	roll	100,0 cm x 20 m (39,4")	3" *)
	6757107021	roll	106,7 cm x 20 m (42")	3" *)
	6757111021	roll	111,8 cm x 20 m (44")	3" *)
	6757999996	Sample	60,0 cm x 5 m (23,6")	3" *)
	6757999997	Sample	61,0 cm x 5 m (24")	3" *)
	6757999998	Sample	85,0 cm x 5 m (33,4")	3" *)
	6757999995	Sample	100,0 cm x 5 m (39,4")	3" *)
	6757999999	Sample	91,4 cm x 5 m (36")	3" *)
	6757999994	Sample	106,7 cm x 5 m (42")	3" *)



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION PG170 Poster Glossy

(170 g/sqm)



Glossy paper, PE coated, high resolution, microporous, 2880 dpi, suitable for both hot and cold lamination. Excellent price/performance ratio.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6836432031	roll	43,2 cm x 30 m (17")	3" *)
6836610031	roll	61,0 cm x 30 m (24")	3" *)
6836914031	roll	91,4 cm x 30 m (36")	3" *)
6836107031	roll	106,7 cm x 30 m (42")	3" *)
6836111031	roll	111,8 cm x 30 m (44")	3" *)
6836127031	roll	127,0 cm x 30 m (50")	3" *)
6836137031	roll	137,2 cm x 30 m (54")	3" *)
6836152031	roll	152,4 cm x 30 m (60")	3" *)
6836999999	Sample	43,2 cm x 5 m (17")	3" *)



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CHS-GLU/II Glossy

(190 g/sqm)



Glossy paper, PE coated, high resolution, microporous, 2880 dpi, suitable for both hot and cold lamination



***) All roll units are supplied with each two adapters 3" to 2" core.**

6021212297	25 sheets	DIN A4	
6021210297	50 sheets	DIN A4	
6021297420	50 sheets	DIN A3	
6021330483	50 sheets	DIN A3+	
6021420594	100 sheets	DIN A2	
6021480628	100 sheets	DIN A2+	
6021594841	100 sheets	DIN A1	
6021625914	100 sheets	DIN A1+	
6021841118	100 sheets	DIN A0	
6021914125	100 sheets	DIN A0++	
6021329030	roll	32,9 cm x 30 m (13")	2"
6021432031	roll	43,2 cm x 30 m (17")	3" *)
6021610030	roll	61,0 cm x 30 m (24")	2"
6021914030	roll	91,4 cm x 30 m (36")	2"
6021107030	roll	106,7 cm x 30 m (42")	2"
6021111030	roll	111,8 cm x 30 m (44")	2"
6021127030	roll	127,0 cm x 30 m (50")	2"
6021132030	roll	132,0 cm x 30 m (52")	2"
6021137030	roll	137,0 cm x 30 m (54")	2"
6021152030	roll	152,4 cm x 30 m (60")	2"
6021162031	roll	162,6 cm x 30 m (64")	3" *)
6021999998	Sample	43,2 cm x 5 m (17")	3" *)



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION GLU190PLUS Glossy

(190 g/sqm)



Glossy paper, PE coated, high resolution, microporous, increased gamut, 5760 dpi, suitable for both hot and cold lamination, for multiple applications



***) All roll units are supplied with each two adapters 3" to 2" core.**



6835212297	25 sheets	DIN A4	
6835210297	50 sheets	DIN A4	
6835297420	50 sheets	DIN A3	
6835330483	50 sheets	DIN A3+	
6835420594	100 sheets	DIN A2	
6835480628	100 sheets	DIN A2+	
6835594841	100 sheets	DIN A1	
6835625914	100 sheets	DIN A1+	
6835841118	100 sheets	DIN A0	
6835914125	100 sheets	DIN A0++	
6835329031	roll	32,9 cm x 30 m (13")	3" *)
6835432031	roll	43,2 cm x 30 m (17")	3" *)
6835610030	roll	61,0 cm x 30 m (24")	2"
6835610031	roll	61,0 cm x 30 m (24")	3" *)
6835914031	roll	91,4 cm x 30 m (36")	3" *)
6835107031	roll	106,7 cm x 30 m (42")	3" *)
6835111031	roll	111,8 cm x 30 m (44")	3" *)
6835127031	roll	127,0 cm x 30 m (50")	3" *)
6835137031	roll	137,2 cm x 30 m (54")	3" *)
6835152031	roll	152,4 cm x 30 m (60")	3" *)
6835162031	roll	162,6 cm x 30 m (64")	3" *)
6835999998	Sample	43,2 cm x 5 m (17")	3" *)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION GW265 Glossy White (265 g/sqm)

Heavy-weight High-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6758210297	50 sheets	DIN A4		
6758297420	50 sheets	DIN A3		
6758330483	50 sheets	DIN A3+		
6758420594	50 sheets	DIN A2		
6758329026	roll	32,9 cm x 25 m (13")	3" *	
6758432026	roll	43,2 cm x 25 m (17")	3" *	
6758610026	roll	61,0 cm x 25 m (24")	3" *	
6758914026	roll	91,4 cm x 25m (36")	3" *	
6758107026	roll	106,7 cm x 25 m (42")	3" *	
6758111026	roll	111,8 cm x 25 m (44")	3" *	
6758127026	roll	127,0 cm x 25 m (50")	3" *	
6758137026	roll	137,0 cm x 25 m (54")	3" *	
6758152026	roll	152,4 cm x 25 m (60")	3" *	
6758999999	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION CCGL250 DUO Glossy/Matt (250 g/sqm)



High resolution coated Glossy-Paper (2880 dpi), backside matt/uncoated, very fast drying, wipefast

*) All roll units are supplied with each two adapters 3" to 2" core.

6761210297	100 sheets	DIN A4		
6761241340	100 sheets	Super A4		
6761297420	100 sheets	DIN A3		
6761330483	100 sheets	DIN A3+		
6761420594	100 sheets	DIN A2		
6761432021	roll	43,2 cm x 20 m (17")	3" *	
6761610021	roll	61,0 cm x 20 m (24")	3" *	
6761914021	roll	91,4 cm x 20 m (36")	3" *	
6761107021	roll	106,7 cm x 20 m (42")	3" *	
6761111021	roll	111,8 cm x 20 m (44")	3" *	
6761127021	roll	127,0 cm x 20 m (50")	3" *	
6761999999	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION PS170 Poster Semiglossy

(170 g/qm)



PEFCTM
PEFC/04-31-1091

Semi matt paper, PE coated, microporous, high resolution, 2880 dpi, suitable for both hot and cold lamination. Excellent price/performance ratio.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6837432031	roll	43,2 cm x 30 m (17")	3" *)
6837610031	roll	61,0 cm x 30 m (24")	3" *)
6837914031	roll	91,4 cm x 30 m (36")	3" *)
6837107031	roll	106,7 cm x 30 m (42")	3" *)
6837111031	roll	111,8 cm x 30 m (44")	3" *)
6837127031	roll	127,0 cm x 30 m (50")	3" *)
6837137031	roll	137,2 cm x 30 m (54")	3" *)
6837152031	roll	152,4 cm x 30 m (60")	3" *)
6837999999	Sample	43,2 cm x 5 m (17")	3" *)



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CHS-SMU/II Semiglossy

(190 g/sqm)



Semi matt paper, PE coated, microporous, high resolution, 2880 dpi, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.



6022211297	25 sheets	DIN A4	
6022210297	50 sheets	DIN A4	
6022297420	50 sheets	DIN A3	
6022330483	50 sheets	DIN A3+	
6022420594	100 sheets	DIN A2	
6022480628	100 sheets	DIN A2+	
6022594841	100 sheets	DIN A1	
6022625914	100 sheets	DIN A1+	
6022841118	100 sheets	DIN A0	
6022914125	100 sheets	DIN A0++	
6022329030	roll	32,9 cm x 30 m (13")	2"
6022360030	roll	36,0 cm x 30 m (14,17")	2"
6022432031	roll	43,2 cm x 30 m (17")	3" *)
6022610030	roll	61,0 cm x 30 m (24")	2"
6022914030	roll	91,4 cm x 30 m (36")	2"
6022107030	roll	106,7 cm x 30 m (42")	2"
6022111030	roll	111,8 cm x 30 m (44")	2"
6022127030	roll	127,0 cm x 30 m (50")	2"
6022132030	roll	132,0 cm x 30 m (52")	2"
6022137030	roll	137,0 cm x 30 m (54")	2"
6022152030	roll	152,4 cm x 30 m (60")	2"
6022162031	roll	162,6 cm x 30 m (64")	3" *)
6022999998	Sample	43,2 cm x 5 m (17")	3" *)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION SMU190PLUS Semiglossy

(190 g/sqm)



Semiglossy paper, PE coated, high resolution, microporous, increased gamut, 5760 dpi, suitable for both hot and cold lamination, for multiple applications



***) All roll units are supplied with each two adapters 3" to 2" core.**



6834211297	25 sheets	DIN A4	
6834210297	50 sheets	DIN A4	
6834297420	50 sheets	DIN A3	
6834330483	50 sheets	DIN A3+	
6834420594	100 sheets	DIN A2	
6834480628	100 sheets	DIN A2+	
6834594841	100 sheets	DIN A1	
6834625914	100 sheets	DIN A1+	
6834841118	100 sheets	DIN A0	
6834914125	100 sheets	DIN A0++	
6834329031	roll	32,9 cm x 30 m (13")	3" *)
6834360031	roll	36,0 cm x 30 m (14,17")	3" *)
6834432031	roll	43,2 cm x 30 m (17")	3" *)
6834610030	roll	61,0 cm x 30 m (24")	2"
6834610031	roll	61,0 cm x 30 m (24")	3" *)
6834914031	roll	91,4 cm x 30 m (36")	3" *)
6834107031	roll	106,7 cm x 30 m (42")	3" *)
6834111031	roll	111,8 cm x 30 m (44")	3" *)
6834127031	roll	127,0 cm x 30 m (50")	3" *)
6834137031	roll	137,2 cm x 30 m (54")	3" *)
6834152031	roll	152,4 cm x 30 m (60")	3" *)
6834162031	roll	162,6 cm x 30 m (64")	3" *)
6834999998	Sample	43,2 cm x 5 m (17")	3" *)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION SW265 Satin White (265 g/sqm)

Heavy-weight Satin-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6759210297	50 sheets	DIN A4		
6759297420	50 sheets	DIN A3		
6759330483	50 sheets	DIN A3+		
6759420594	50 sheets	DIN A2		
6759329026	roll	32,9 cm x 25 m (13")	3" *	
6759432026	roll	43,2 cm x 25 m (17")	3" *	
6759610026	roll	61,0 cm x 25 m (24")	3" *	
6759914026	roll	91,4 cm x 25 m (36")	3" *	
6759107026	roll	106,7 cm x 25 m (42")	3" *	
6759111026	roll	111,8 cm x 25 m (44")	3" *	
6759127026	roll	127,0 cm x 25 m (50")	3" *	
6759137026	roll	137,0 cm x 25 m (54")	3" *	
6759152026	roll	152,4 cm x 25 m (60")	3" *	
6759999999	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION SW300 Satin White (300 g/sqm)

Very heavy-weight Satin-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6767210297	50 sheets	DIN A4		
6767297420	50 sheets	DIN A3		
6767330483	50 sheets	DIN A3+		
6767420594	50 sheets	DIN A2		
6767329026	roll	32,9 cm x 25 m (13")	3" *	
6767432026	roll	43,2 cm x 25 m (17")	3" *	
6767610026	roll	61,0 cm x 25 m (24")	3" *	
6767914026	roll	91,4 cm x 25 m (36")	3" *	
6767107026	roll	106,7 cm x 25 m (42")	3" *	
6767111026	roll	111,8 cm x 25 m (44")	3" *	
6767127026	roll	127,0 cm x 25 m (50")	3" *	
6767137026	roll	137,0 cm x 25 m (54")	3" *	
6767152026	roll	152,4 cm x 25 m (60")	3" *	
6767999999	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION SMU300PLUS Semiglossy

(300 g/sqm)



Very heavy-weight Satin-Gloss paper, PE coated, microporous, high resolution, 5760 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6840210297	50 sheets	DIN A4		
6840297420	50 sheets	DIN A3		
6840330483	50 sheets	DIN A3+		
6840420594	50 sheets	DIN A2		
6840329026	roll	32,9 cm x 25 m (13")	3" *	
6840432026	roll	43,2 cm x 25 m (17")	3" *	
6840610026	roll	61,0 cm x 25 m (24")	3" *	
6840914026	roll	91,4 cm x 25 m (36")	3" *	
6840107026	roll	106,7 cm x 25 m (42")	3" *	
6840111026	roll	111,8 cm x 25 m (44")	3" *	
6840127026	roll	127,0 cm x 25 m (50")	3" *	
6840137026	roll	137,0 cm x 25 m (54")	3" *	
6840152026	roll	152,4 cm x 25 m (60")	3" *	
6840999999	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION CPGWF/II Semimatt

(150 g/sqm)

Universal semi matt paper, high resolution, 1440 dpi, very fast drying

*) All roll units are supplied with each two adapters 3" to 2" core.

6510210297	100 sheets	DIN A4		
6510297420	100 sheets	DIN A3		
6510330483	100 sheets	DIN A3+		
6510420594	100 sheets	DIN A2		
6510432031	roll	43,2 cm x 30 m (17")	3" *	
6510457030	roll	45,7 cm x 30 m (18")	2"	
6510610030	roll	61,0 cm x 30 m (24")	2"	
6510914030	roll	91,4 cm x 30 m (36")	2"	
6510914031	roll	91,4 cm x 30 m (36")	3" *	
6510107030	roll	106,7 cm x 30 m (42")	2"	
6510111030	roll	111,8 cm x 30 m (44")	2"	
6510127030	roll	127,0 cm x 30 m (50")	2"	
6510132030	roll	132,0 cm x 30 m (52")	2"	
6510135031	roll	135,0 cm x 30 m (53,125")	3" *	
6510137030	roll	137,0 cm x 30 m (54")	2"	
6510137031	roll	137,0 cm x 30 m (54")	3" *	
6510152030	roll	152,4 cm x 30 m (60")	2"	
6510999997	Sample	43,2 cm x 5 m (17")	3" *	



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CPGWF/II 'Heavy' Semimatt

(180 g/sqm)



Universal semi matt paper, high resolution, 2880 dpi, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6515210297	100 sheets	DIN A4		
6515297420	100 sheets	DIN A3		
6515330483	100 sheets	DIN A3+		
6515420594	100 sheets	DIN A2		
6515432031	roll	43,2 cm x 30 m (17")	3" *	
6515610031	roll	61,0 cm x 30 m (24")	3" *	
6515914031	roll	91,4 cm x 30 m (36")	3" *	
6515107031	roll	106,7 cm x 30 m (42")	3" *	
6515111031	roll	111,8 cm x 30 m (44")	3" *	
6515127031	roll	127,0 cm x 30 m (50")	3" *	
6515137031	roll	137,2 cm x 30 m (54")	3" *	
6515152031	roll	152,4 cm x 30 m (60")	3" *	
6515162031	roll	162,6 cm x 30 m (64")	3" *	



6515999998 **Sample** 43,2 cm x 5 m (17") 3" *

TECCO:PRODUCTION CPGWF/II DUO Semimatt

(170 g/sqm)



Universal semi matt paper, high resolution, 1440 dpi, printable on both sides, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6514210297	100 sheets	DIN A4		
6514297420	100 sheets	DIN A3		
6514330483	100 sheets	DIN A3+		
6514420594	100 sheets	DIN A2		
6514432031	roll	43,2 cm x 30 m (17")	3" *	
6514610030	roll	61,0 cm x 30 m (24")	2"	
6514914030	roll	91,4 cm x 30 m (36")	2"	
6514107030	roll	106,7 cm x 30 m (42")	2"	
6514111030	roll	111,8 cm x 30 m (44")	2"	



6514999998 **Sample** 43,2 cm x 5 m (17") 3" *

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION DIL Preproofer DUO Semimatt (170 g/sqm)



Premium double side semimatt coated paper, high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer



6518610032	roll	61,0 cm x 30 m (24")	6"
6518111032	roll	111,8 cm x 30 m (44")	6"
6518999997	Sample	61,0 cm x 5 m (24")	6"
6518999998	Sample	111,8 cm x 5 m (44")	6"



TECCO:PRODUCTION PWF130 White Film Ultra-Gloss (130 µ)

White Film with high-gloss surface for professional photographers with highest demands on quality

Ideal for:

High-end banners, product presentations of luxury goods, artistic portraits, B/W-prints

Specific features:

- very high ink capacity
- extremely huge color gamut
- very high resolution (5760 dpi)

***) All roll units are supplied with each two adapters 3" to 2" core.**

6782100150	100 sheets	10x15 (10,2 x 15,2 cm)	
6782210297	50 sheets	DIN A4	
6782297420	50 sheets	DIN A3	
6782330483	50 sheets	DIN A3+	
6782420594	50 sheets	DIN A2	
6782329031	roll	32,9 cm x 30 m (13")	3" *)
6782432031	roll	43,2 cm x 30 m (17")	3" *)
6782610031	roll	61,0 cm x 30 m (24")	3" *)
6782914031	roll	91,4 cm x 30 m (36")	3" *)
6782106031	roll	106,7 cm x 30 m (42")	3" *)
6782111031	roll	111,8 cm x 30 m (44")	3" *)
6782999999	Sample	43,2 cm x 3 m (17")	3" *)



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION PBW580 Posterboard Semiglossy White (580 g/sqm)

Posterboard with semigloss surface.
Ideal for printing posters and packaging proofs
with white backside,
i.e. for presentation purposes in agency and
photography divisions

Ideal for:

printing posters, packaging proofs and
presentations purposes

Specific features:

- Instant dry with a high ink capacity
- Very high stability in combination with pigmented inks
- Saves the process of laminating on a carton board

6838210297	15 sheets	DIN A4
6838297420	15 sheets	DIN A3
6838330483	15 sheets	DIN A3+
6838420594	15 sheets	DIN A2
6838594841	15 sheets	DIN A1
6838550750	15 sheets	55 x 75 cm



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

3. Transparent printing media

TECCO:PRODUCTION Transparentpapier

(95 g/sqm)



The mark of responsible forestry

Uncoated transparent paper for monochrome and colorline CAD, engineering and architectural applications

5990210297	200 sheets	DIN A4	
5990297420	200 sheets	DIN A3	
5990330483	200 sheets	DIN A3+	
5990420594	200 sheets	DIN A2	
5990480628	200 sheets	DIN A2+	
5990594841	200 sheets	DIN A1	
5990625914	200 sheets	DIN A1+	
5990841118	200 sheets	DIN A0	
5990914125	200 sheets	DIN A0++	
5990610050	roll	61,0 cm x 50 m (24")	2"
5990914050	roll	91,4 cm x 50 m (36")	2"
5990107050	roll	106,7 cm x 50 m (42")	2"
5990999999	Sample	61,0 cm x 5 m (24")	2"

TECCO:PRODUCTION Screen Film BASIC PLUS

(135 µ)

Crystal clear transparent film, polyester based, to be used as intermediate for offset and screen printing, also for poster and CAD applications, with enhanced new coating

*) All roll units are supplied with each two adapters 3" to 2" core.

NEW	6831210297	100 sheets	DIN A4	
NEW	6831297420	100 sheets	DIN A3	
NEW	6831330483	100 sheets	DIN A3+	
NEW	6831420594	100 sheets	DIN A2	
NEW	6831420030	roll	42,0 cm x 30,5 m (16,5")	2"
NEW	6831432031	roll	43,2 cm x 30,5 m (17")	3" *)
NEW	6831610030	roll	61,0 cm x 30,5 m (24")	2"
NEW	6831914030	roll	91,4 cm x 30,5 m (36")	2"
NEW	6831107030	roll	106,7 cm x 30,5 m (42")	2"
NEW	6831111030	roll	111,8 cm x 30,5 m (44")	2"
NEW	6831127030	roll	127,0 cm x 30,5 m (50")	2"
NEW	6831999996	Sample	43,2 cm x 5 m (17")	3" *)



Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

3. Transparent printing media

TECCO:PRODUCTION Backlit MP Universal

(140 µ)

Matt translucent polyester film for indoor and outdoor applications in light boxes, especially suitable for applications under high humidity and condensation conditions, universal use, instant drying and water resistant.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6541210297	50 Sheets	DIN A4		
6541297420	50 Sheets	DIN A3		
6541330483	50 Sheets	DIN A3+		
6541420594	50 Sheets	DIN A2		
6541432021	roll	43,2 cm x 20 m (17")	3" *)	
6541610020	roll	61,0 cm x 20 m (24")	2"	
6541914020	roll	91,4 cm x 20 m (36")	2"	
6541107020	roll	106,7 cm x 20 m (42")	2"	
6541111020	roll	111,8 cm x 20 m (44")	2"	
6541127020	roll	127,0 cm x 20 m (50")	2"	
6541137020	roll	137,2 cm x 20 m (54")	2"	
6541152020	roll	152,4 cm x 20 m (60")	2"	
6541999997	Sample	43,2 cm x 5 m (17")	3" *)	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION 177 SA Matt

(190 g/sqm)

120 g/sqm w/o paperback
190 g/sqm with paperback

Self-adhesive paper, matt, high resolution, 1440 dpi

*) All roll units are supplied with each two adapters 3" to 2" core.

5993210297	50 sheets	DIN A4		
5993297420	50 sheets	DIN A3		
5993420594	100 sheets	DIN A2		
5993432021	roll	43,2 cm x 20 m (17")	3" *	
5993610020	roll	61,0 cm x 20 m (24")	2"	
5993914020	roll	91,4 cm x 20 m (36")	2"	
5993914021	roll	91,4 cm x 20 m (36")	3" *	
5993111020	roll	111,8 cm x 20 m (44")	2"	
5993127020	roll	127,0 cm x 20 m (50")	2"	
5993127021	roll	127,0 cm x 20 m (50")	3" *	
5993999997	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION CHS-SMU/II SA Semiglossy

(280 g/sqm)

190 g/sqm w/o backing
280 g/sqm with backing

Self-adhesive semi matt paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6026210297	50 sheets	DIN A4		
6026297420	50 sheets	DIN A3		
6026330483	50 sheets	DIN A3+		
6026420594	100 sheets	DIN A2		
6026480628	100 sheets	DIN A2+		
6026594841	100 sheets	DIN A1		
6026625914	100 sheets	DIN A1+		
6026841118	100 sheets	DIN A0		
6026914125	100 sheets	DIN A0++		
6026432021	roll	43,2 cm x 20 m (17")	3" *	
6026610021	roll	61,0 cm x 20 m (24")	3" *	
6026914021	roll	91,4 cm x 20 m (36")	3" *	
6026107021	roll	106,7 cm x 20 m (42")	3" *	
6026111021	roll	111,8 cm x 20 m (44")	3" *	
6026127021	roll	127,0 cm x 20 m (50")	3" *	
6026999998	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION CHS-GLU/II SA Glossy (280 g/sqm)

190 g/sqm w/o backing
280 g/sqm with backing

Self-adhesive glossy paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6027210297	50 sheets	DIN A4		
6027297420	50 sheets	DIN A3		
6027330483	50 sheets	DIN A3+		
6027420594	100 sheets	DIN A2		
6027480628	100 sheets	DIN A2+		
6027594841	100 sheets	DIN A1		
6027625914	100 sheets	DIN A1+		
6027841118	100 sheets	DIN A0		
6027914125	100 sheets	DIN A0++		
6027432021	roll	43,2 cm x 20 m (17")	3" *	
6027610021	roll	61,0 cm x 20 m (24")	3" *	
6027914021	roll	91,4 cm x 20 m (36")	3" *	
6027107021	roll	106,7 cm x 20 m (42")	3" *	
6027111021	roll	111,8 cm x 20 m (44")	3" *	
6027127021	roll	127,0 cm x 20 m (50")	3" *	



6027999998 **Sample** 43,2 cm x 5 m (17") 3" *

TECCO:PRODUCTION Synthetic Paper WF/SA Matt (160 g/sqm)

90 g/sqm w/o paperback
160 g/sqm with paperback

Self-adhesive polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6505432021	roll	43,2 cm x 20 m (17")	3" *	
6505610021	roll	61,0 cm x 20 m (24")	3" *	
6505914021	roll	91,4 cm x 20 m (36")	3" *	
6505107021	roll	106,7 cm x 20 m (42")	3" *	
6505111021	roll	111,8 cm x 20 m (44")	3" *	
6505127021	roll	127,0 cm x 20 m (50")	3" *	



6505999997 **Sample** 43,2 cm x 5 m (17") 3" *

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION Vinyl WR/SA Matt

(300 µ)

175 g/sqm w/o paperback
315 g/sqm with paperback

Self-adhesive PVC, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6030210297	50 sheets	DIN A4		
6030297420	50 sheets	DIN A3		
6030330483	50 sheets	DIN A3+		
6030420594	100 sheets	DIN A2		
6030432021	roll	43,2 cm x 20 m (17")	3" *	
6030610020	roll	61,0 cm x 20 m (24")	2"	
6030914020	roll	91,4 cm x 20 m (36")	2"	
6030107020	roll	106,7 cm x 20 m (42")	2"	
6030112020	roll	111,8 cm x 20 m (44")	2"	
6030127020	roll	127,0 cm x 20 m (50")	2"	
6030137020	roll	137,2 cm x 20 m (54")	2"	
6030152020	roll	152,4 cm x 20 m (60")	2"	
6030999998	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION Vinyl WR/SA Glossy

(300 µ)

175 g/sqm w/o paperback
315 g/sqm with paperback

Self-adhesive PVC, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6766210297	50 sheets	DIN A4		
6766297420	50 sheets	DIN A3		
6766330483	50 sheets	DIN A3+		
6766420594	50 sheets	DIN A2		
6766432021	roll	43,2 cm x 20 m (17")	3"	
6766610020	roll	61,0 cm x 20 m (24")	2"	
6766914020	roll	91,4 cm x 20 m (36")	2"	
6766107020	roll	106,7 cm x 20 m (42")	2"	
6766112020	roll	111,8 cm x 20 m (44")	2"	
6766127020	roll	127,0 cm x 20 m (50")	2"	
6766137020	roll	137,2 cm x 20 m (54")	2"	
6766152020	roll	152,4 cm x 20 m (60")	2"	
6766999998	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION Screen Film SA

(189 µ)

140 µ w/o paperback
189 µ with paperback

Crystal clear transparent film, polyester based,
high resolution, self-adhesive

6751432020	roll	43,2 cm x 20 m (17")	2"
6751610020	roll	61,0 cm x 20 m (24")	2"
6751914020	roll	91,4 cm x 20 m (36")	2"
6751107020	roll	106,7 cm x 20 m (42")	2"
6751127020	roll	127,0 cm x 20 m (50")	2"
6751999999	Sample	43,2 cm x 5 m (17")	2"



5. Textile and textile-like printing media

TECCO:PRODUCTION 'Japan-Faser'

(80 g/sqm)

Non woven artificial paper, printable on both
sides, very strong, suitable for applications in
rooms with fire protection regulations (M1-
certified)

6048210297	50 sheets	DIN A4	
6048297420	50 sheets	DIN A3	
6048330483	50 sheets	DIN A3+	
6048329010	roll	32,9 cm x 10 m (13")	2"
6048432026	roll	43,2 cm x 25 m (17")	3" *)
6048610025	roll	61,0 cm x 25 m (24")	2"
6048914025	roll	91,4 cm x 25 m (36")	2"
6048107025	roll	106,7 cm x 25 m (42")	2"
6048111025	roll	111,8 cm x 25 m (44")	2"
6048127025	roll	127,0 cm x 25 m (50")	2"
6048137025	roll	137,0 cm x 25 m (54")	2"
6048152025	roll	152,4 cm x 25 m (60")	2"
6048999998	Sample	43,2 cm x 5 m (17")	3" *)



*) All roll units are supplied with
each two adapters 3" to 2" core.

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

Wipefast
Water resistant
Fire resistant
Class M1/B1
(DIN 4102)

5. Textile and textile-like printing media

TECCO:PRODUCTION TBW220 Textile Banner

(220 g/sqm)



High-grade, water-resistant textile material (100% Polyester) with special, high-resolution matte inkjet coating. Ideal e.g. for displays, banners and other exciting product presentations. B1-certified, suitable for roll-up systems and grommeting

***) All roll units are supplied with each two adapters 3" to 2" core.**

6754432121	roll	43,2 cm x 20 m (17")	3" *)
6754610021	roll	61,0 cm x 20 m (24")	3" *)
6754914021	roll	91,4 cm x 20 m (36")	3" *)
6754100021	roll	100,0 cm x 20 m (39,4")	3" *)
6754107021	roll	106,7 cm x 20 m (42")	3" *)
6754111021	roll	111,8 cm x 20 m (44")	3" *)
6754127021	roll	127,0 cm x 20 m (50")	3" *)
6754137021	roll	137,2 cm x 20 m (54")	3" *)
6754152021	roll	152,4 cm x 20 m (60")	3" *)
6754999999	Sample	43,2 cm x 5 m (17")	3" *)
6754999998	Sample	61,0 cm x 5 m (24")	3" *)





Printing media		NEW	part no.	unit	size	core	Special characteristics (depending on ink used)
6. Complementary products							
TECCO:PRODUCTION Roll-Up Display 600 Roll-Up Display for 600 mm print media. Excellent results can be achieved with TECCO:PRODUCTION Roll-Up PET 220 and the B1 certified TECCO:PRODUCTION TBW220 Textile Banner			679000006				Wipefast Water resistant Fire resistant Class M1/B1 (DIN 4102)
TECCO:PRODUCTION Roll-Up Display 850 Premium Roll-Up Display for 850 mm print media. Excellent results can be achieved with TECCO:PRODUCTION Roll-Up PET 220 and the B1 certified TECCO:PRODUCTION TBW220 Textile Banner			679000009				
TECCO:PRODUCTION Roll-Up Display 1000 Premium Roll-Up Display for 1000 mm print media. Excellent results can be achieved with TECCO:PRODUCTION Roll-Up PET 220 and the B1 certified TECCO:PRODUCTION TBW220 Textile Banner			679000010				



Printing media							Wipefast	Water resistant	Fire resistant Class M1/B1 (DIN 4102)
6. Complementary products		NEW	part no.	unit	size	core	Special characteristics (depending on ink used)		
TECCO:PRODUCTION Roll-Up Bundle 600/610 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRODUCTION PET220 with 24" x 5 m			679000007						
TECCO:PRODUCTION Roll-Up Bundle 600/600 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRDUCTION PET220 with 600 mm x 5 m			679000008						
TECCO:PRODUCTION Roll-Up Bundle 850/914 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRODUCTION PET220 with 36" x 5 m			679000014						



							Wipefast Water resistant Fire resistant Class M1/B1 (DIN 4102)
		NEW	part no.	unit	size	core	Special characteristics (depending on ink used)
Printing media							
6. Complementary products							
TECCO:PRODUCTION Roll-Up Bundle 850/850 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRDUCTION PET220 with 850 mm x 5 m			6790000015				
TECCO:PRODUCTION Roll-Up Bundle 1000/1067 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRODUCTION PET220 with 42" x 5 m			6790000016				
TECCO:PRODUCTION Roll-Up Bundle 1000/1000 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRDUCTION PET220 with 1000 mm x 5 m			6790000017				

Product specifications and prices subject to change without prior notice.



Tecco GmbH

Buchholzstraße 79 - 51469 Bergisch Gladbach - Germany - Phone: +49-(0)2202-2924-0 - Fax: +49-(0)2202-2924-99

e-Mail: contact@tecco.de

<http://www.tecco.de>

September 2011

Sizes: *Photo 10x15: 102 x 152 mm*
US-executive: 184 x 267 mm
DIN A4: 210 x 297 mm
US-letter: 216 x 280 mm
US-legal: 216 x 356 mm
SUPER A4: 241 x 340 mm
US-tabloid: 280 x 432 mm
DIN A3: 297 x 420 mm
A3 ÜF: 305 x 457 mm
SRA 3: 320 x 450 mm
A3 Nobi: 328 x 453 mm
DIN A3+: 330 x 483 mm
A3++: 329 x 558 mm
DIN A2: 420 x 594 mm
DIN A2+: 480 x 628 mm
DIN A1: 594 x 841 mm
DIN A1+: 625 x 914 mm
DIN A0: 841 x 1189 mm
DIN A0++: 914 x 1250 mm
Banner 1: 328 x 900 mm
Banner 2: 215 x 1200 mm
Banner 3: 328 x 1200 mm
Banner 4: 297 x 900 mm
Banner 5: 215 x 900 mm
Banner 6: 297 x 840 mm
Banner 7: 297 x 1200 mm
Banner 8: 320 x 1200 mm

