

Tecco®

living paper



TECCO:PAPER E.O.L. 01/2012

Index

1. TECCO:PAPER PHOTO

TECCO:PHOTO papers were specially developed for printing digital photos using ink-jet photo printers. The special coatings of the **TECCO:PHOTO** papers offer extremely high resolution, very good color fidelity, color brilliance and very fast drying.



Optimize your printing results by using the recommended printer settings for the **TECCO:PHOTO** media. You can find them in each box of our **TECCO:PHOTO** paper.



Get professional photo prints by using the new **TECCO:PHOTO** RGB ICC profiles for Adobe™ Photoshop®, which are available for the most common photo printers for Windows® and Macintosh® platforms.

2. TECCO:PAPER PRODUCTION

The **TECCO:PRODUCTION** product range contains tailor made printing substrates for all kinds of professional applications. They assure the maximum of flexibility due to the variety of products, sizes and applications. The printing quality meets the highest achievable standards.

The **TECCO:PRODUCTION** portfolio offers papers and printing substrates for all types of indoor and outdoor applications in the inkjet market.

3. TECCO:PAPER LASER

TECCO:LASER products enable you to achieve the maximum quality output from your laser printer.

The huge variety of different types of laser papers fulfill the requirements of a demanding market.

TECCO:LASER media distinguish themselves by a perfect toner adhesion, unique color fidelity and outstanding sharpness.

4. EFI Paper

EFI Papers are developed in close collaboration between Tecco and EFI to reach highest quality requirements. The product range includes papers for proofing, photo, production and laser applications. This high standard for razor sharp prints is characterised by their individual attributes as well as the certifications for proofs with Fogra standard or the sustainable "green" print with FSC and PEFC.

		Wipe fast	Water resistant	Fire resistant Class B1	FSC® Mixed Credit	100% PEFC cert.	page
Printing media		Special characteristics					
1. TECCO:PAPER PHOTO							
TECCO:PHOTO SG190 Semiglossy	(190 g/qm)	●					1
TECCO:PHOTO SG220 Semiglossy	(220 g/qm)	●					1
TECCO:PHOTO MP240 Semiglossy	(240 g/qm)	●			●		1
TECCO:PHOTO SG250 Semiglossy	(250 g/qm)	●					2
TECCO:PHOTO SGW260 Semiglossy Weiß	(260 g/qm)	●					2
TECCO:PHOTO SHG260 Super High Gloss	(260 g/qm)	●					2
TECCO:PHOTO PPG250 Pearl-Gloss Super	(248 g/qm)	●					3
TECCO:PHOTO HG255 High-Gloss	(255 g/qm)	●			●		3
TECCO:PHOTO PHG260 High-Gloss	(260 g/qm)	●					4
TECCO:PHOTO PUW285 Glossy Ultra White	(285 g/qm)	●					5
TECCO:PHOTO PPM190 Pastell-Matt	(190 g/qm)	●					5
TECCO:PHOTO TB180 Textile Banner	(180 g/qm)	●	●	●			6
TECCO:PHOTO PFR290 FineArt Rag	(290 g/qm)	●					6
2. TECCO:PAPER PRODUCTION							
TECCO:PRODUCTION M120 Matt Basic	(120 g/qm)	●					7
TECCO:PRODUCTION CH300SP matt	(90 g/qm)	●					7
TECCO:PRODUCTION CH345 DUO "G" matt	(130 g/qm)	●					8
TECCO:PRODUCTION CH355SP matt	(165 g/qm)	●					8
TECCO:PRODUCTION CH355SP "G" matt	(165 g/qm)	●					8
TECCO:PRODUCTION DMC170 DUO	(170 g/qm)	●			●		9
TECCO:PRODUCTION CHWF	(140 g/qm)	●	●				9
TECCO:PRODUCTION CHSWF Heavy Glossy	(180 g/qm)	●					10
TECCO:PRODUCTION CHS-GLU Heavy-Gloss	(280 g/qm)	●					10
TECCO:PRODUCTION Satin 165	(165 g/qm)						11
TECCO:PRODUCTION CHS-SMP Semiglossy	(170 g/qm)	●					11
TECCO:PRODUCTION MP250 Warm-Tone Semiglossy	(250 g/qm)	●					11
TECCO:PRODUCTION Vinyl WF/II	(80 µ)	●					12
TECCO:PRODUCTION Backlit Premium WF	(145 µ)	●	●				12
TECCO:PRODUCTION Vinyl Banner WR	(570 µ)	●	●	●			13
TECCO:PRODUCTION Vinyl Banner WF	(350 µ)	●	●				13
TECCO:PRODUCTION Aquarellpapier	(160 g/qm)	●	●				13
TECCO:PRODUCTION Synthetic Paper WF	(90 g/qm)	●	●				14
TECCO:PRODUCTION UNIVERSAL Transferpapier	(170 g/qm)						14
TECCO:PRODUCTION Tyvek SEPIA WF Matt	(150 g/qm)	●	●				14
3. TECCO:PAPER LASER							
TECCO:LASER LC3	(100 µ)	●					15
TECCO:LASER MD120	(120 g/qm)	●					15
TECCO:LASER ME105/SK	(185 g/qm)	●					15
4. EFI Paper							
EFI Proof Paper 5150 Glossy	(150 g/qm)	●					16
EFI Proof Paper 5180 Heavy-Gloss	(180 g/qm)	●					16
EFI Proof Paper 9190 Matt	(190 g/qm)	●					17
EFI Proof Paper 8180 Semiglossy	(180 g/qm)	●					17
EFI Proof Premium Paper 8260 Semiglossy	(260 g/qm)	●					18
EFI Laser Paper DUO-Semimatt 105SM	(105 g/qm)	●					18



The mark of responsible forestry



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO SG190 Semiglossy (190 g/qm)

Natural white, satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

6797100150 100 sheets 10x15 (10,2 x 15,2 cm) (1-199 VE)
 6797100150 100 sheets 10x15 (10,2 x 15,2 cm) (200+ VE)
 6797130180 100 sheets 13x18 (12,7 x 17,8 cm) (1-199 VE)
 6797130180 100 sheets 13x18 (12,7 x 17,8 cm) (200+ VE)
 6797210298 50 sheets DIN A4
 6797210297 100 sheets DIN A4 (1-199 VE)
 6797210297 100 sheets DIN A4 (200+ VE)
 6797297420 100 sheets DIN A3 (1-199 VE)
 6797297420 100 sheets DIN A3 (200+ VE)



TECCO:PHOTO SG220 Semiglossy (220 g/qm)

Natural white, satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

NEW

6786100150 100 sheets 10x15 (10,2 x 15,2 cm) (1-199 VE)
 6786100150 100 sheets 10x15 (10,2 x 15,2 cm) (200+ VE)
 6786130180 100 sheets 13x18 (12,7 x 17,8 cm) (1-199 VE)
 6786130180 100 sheets 13x18 (12,7 x 17,8 cm) (200+ VE)
 6786210298 50 sheets DIN A4
 6786210297 100 sheets DIN A4 (1-199 VE)
 6786210297 100 sheets DIN A4 (200+ VE)
 6786297420 100 sheets DIN A3 (1-199 VE)
 6786297420 100 sheets DIN A3 (200+ VE)



TECCO:PHOTO MP240 Semiglossy (240 g/qm)



PEFC™
PEFC/04-31-1091

Satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

6856100150 100 sheets 10x15 (10,2 x 15,2 cm)
 6856210297 50 sheets DIN A4
 6856210298 100 sheets DIN A4
 6856297420 50 sheets DIN A3
 6856297421 100 sheets DIN A3



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO SG250 Semiglossy (250 g/qm)

Satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

6776100150 30 sheets 10x15 (10,2 x 15,2 cm)
6776100151 100 sheets 10x15 (10,2 x 15,2 cm) (1-199 VE)
6776100151 100 sheets 10x15 (10,2 x 15,2 cm) (200+ VE)



TECCO:PHOTO SGW260 Semiglossy White (260 g/qm)

Natural white, satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

6777100150 30 sheets 10x15 (10,2 x 15,2 cm)
6777100151 100 sheets 10x15 (10,2 x 15,2 cm) (1-199 VE)
6777100151 100 sheets 10x15 (10,2 x 15,2 cm) (200+ VE)



TECCO:PHOTO SHG260 Super High Gloss (260 g/qm)

High-Glossy portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

6857100150 100 sheets 10x15 (10,2 x 15,2 cm)
6857130180 100 sheets 13x18 (12,7 x 17,8 cm)



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO PPG250 Pearl-Gloss Super

(248 g/sqm)



Naturally white, satin-finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

Ideal for:

Single- and family portraits; Wedding pictures; Pictures of landscapes; B/W-prints; Large format posters

Specific features:

- Low content of optical brighteners
- Very typical photo paper feeling
- Very high resolution (5760 dpi)

*) All roll units are supplied with each two adapters 3" to 2" core.

**) Suitable e. g. for HP DesignJet 100 / 120 and 130 Series

NEW

6499329015
6499432021
6499610021
6499914021
6499111021
6499137021

roll
roll
roll
roll
roll
roll

32,9 cm x 15 m (13")
43,2 cm x 20 m (17")
61,0 cm x 20 m (24")
91,4 cm x 20 m (36")
111,8 cm x 20 m (44")
137,0 cm x 20 m (54")

2"
3" *)
3" *)
3" *)
3" *)
3" *)



TECCO:PHOTO HG255 High-Gloss

255 g/qm)



High gloss finished portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers, 5760 dpi

6847100150
6847100150
6847100151
6847130180
6847130180
6847210297
6847210297
6847211297
6847211297
6847297420
6847297420
6847298420
6847298420

100 sheets
100 sheets
1000 sheets
100 sheets
100 sheets
50 sheets
50 sheets
25 sheets
25 sheets
50 sheets
50 sheets
25 sheets
25 sheets

10,2 x 15,2 cm
10,2 x 15,2 cm
10,2 x 15,2 cm
13 x 18 cm
13 x 18 cm
DIN A4
DIN A4
DIN A4
DIN A4
DIN A3
DIN A3
DIN A3
DIN A3

(1-199VE)
(200+VE)
BULK
(1-199VE)
(200+VE)
(1-199VE)
(200+VE)
(1-199VE)
(200+VE)
(1-199VE)
(200+VE)
(1-199VE)
(200+VE)

je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE
je VE



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO PHG260 High-Gloss

(260 g/sqm)



Naturally white, glossy portrait paper with the real photo feeling for professional photographers and ambitious hobby photographers

Ideal for:

Single- and family portraits; Wedding pictures; Pictures of landscapes; B/W-prints; Large format posters

Specific features:

- Very typical photo paper feeling
- Very high resolution (5760 dpi)

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP DesignJet 100 / 120 and 130 Series**

5970203021
5970329021

roll
roll

20,3 cm x 20 m (8")
32,9 cm x 20 m (13")

3" *)
3" *)



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO PUW285 Glossy Ultra White (285 g/sqm)



Heavy, ultra-white high gloss paper for extremely sharp pictures with brilliant colors.

The very good archival properties (at least 50 years) of this TECCO:PAPER PHOTO have been confirmed for 10 printer/paper/ink combinations by RIT (Rochester Institute of Technology, USA). For more information please see www.tecco-photo.de

Ideal for:

Object pictures (still lifes, architecture, fashion, landscape, etc.); Presentation of products; Layout

Specific features:

- Instant dry with a high ink capacity
- Very high resolution (5760 dpi)

***) All roll units are supplied with each two adapters 3" to 2" core.**

6544610021 roll 61,0 cm x 20 m (24") 3" *)



TECCO:PHOTO PPM190 Pastell-Matt (190 g/sqm)



Pastel-colored, matt paper for prints with a high artistic demand

Ideal for:

B/W & sepia photos; Menu printing; Artistic invitations

Specific features:

- Very low content of optical brighteners
- Very high resolution (5760 dpi)

***) All roll units are supplied with each two adapters 3" to 2" core.**

6770254021 roll 25,4 cm x 20 m (10") 3" *)
 6770329010 roll 32,9 cm x 10 m (13") 2"
 6770329031 roll 32,9 cm x 30 m (13") 3" *)
 6770432021 roll 43,2 cm x 20 m (17") 3" *)
 6770610020 roll 61,0 cm x 20 m (24") 2"
 6770610021 roll 61,0 cm x 20 m (24") 3" *)
 6770914031 roll 91,4 cm x 30 m (36") 3" *)
 6770107031 roll 106,7 cm x 30 m (42") 3" *)
 6770127021 roll 127,0 cm x 20 m (50") 3" *)
 6770127031 roll 127,0 cm x 30 m (50") 3" *)
 6770152031 roll 152,4 cm x 30 m (60") 3" *)
 6770162031 roll 162,0 cm x 30 m (64") 3" *)



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PHOTO

TECCO:PHOTO TB180 Textile Banner (180 g/sqm)

High-grade, water- resistant textile material (100% Polyester) with special, high-resolution matte inkjet coating

Ideal for:
Displays; Banners; exciting product presentations

Specific features:
- B1 certified
- Universal for indoor- and outdoor applications
- Suitable for roll-up display systems
- Appropriate for grommeting

***) All roll units are supplied with each two adapters 3" to 2" core.**

6779432021	roll	43,2 cm x 20 m (17")	3" *)
6779610021	roll	61,0 cm x 20 m (24")	3" *)
6779914021	roll	91,4 cm x 20 m (36")	3" *)
6779107021	roll	106,7 cm x 20 m (42")	3" *)
6779111021	roll	111,8 cm x 20 m (44")	3" *)
6779127021	roll	127,0 cm x 20 m (50")	3" *)



679999999	Sample	43,2 cm x 5 m (17")	3" *)
-----------	--------	---------------------	-------

TECCO:PHOTO PFR290 FineArt Rag (290 g/sqm)

Natural white FineArt Rag (100% Cotton), with high light stability and aging resistance; acid free

This TECCO:PAPER PHOTO complies with DIN 6738, ISO 9706, ANSI Z 39.48-1992 neutral sized, neutral PH value, acid free and therefore extremely age resistant. It offers the highest archival class and has a life time of several 100 years.

Ideal for:
Digital photos and Art reproductions (Aquarelle, Pastel drawings, etc.)

Specific features:
- Very homogenous surface structure with a matt coating

***) All roll units are supplied with each two adapters 3" to 2" core.**

6774210298	25 sheets	DIN A4	
6774210297	50 sheets	DIN A4	
6774297421	25 sheets	DIN A3	
6774297420	50 sheets	DIN A3	
6774330483	50 sheets	DIN A3+	
6774420595	25 sheets	DIN A2	
6774420594	50 sheets	DIN A2	
6774750101	50 sheets	750x1020mm	
6774432016	roll	43,2 cm x 15 m (17")	3" *)
6774610016	roll	61,0 cm x 15 m (24")	3" *)
6774914016	roll	91,4 cm x 15 m (36")	3" *)
6774107016	roll	106,7 cm x 15 m (42")	3" *)
6774111016	roll	111,8 cm x 15 m (44")	3" *)
6774125016	roll	125,0 cm x 15 m (49")	3" *)

677499999	Sample	43,2 cm x 5 m (17")	3" *)
-----------	--------	---------------------	-------

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION M120 (120 g/qm)

Uncoated matt paper, high quality

6826432050

roll

43,2 cm x 50 m (17")

2"



TECCO:PRODUCTION CH300SP matt (90 g/sqm)

Coated paper, high resolution, 2880 dpi, for poster prints in photo quality

5940210015

roll

21,0 cm x 15 m

5940914035

roll

91,4 cm x 30 m (36")

2"



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION CH345DUO "G" matt (130 g/sqm)



Premium double side coated paper, high resolution, 1440 dpi

5939210297G 100 sheets

DIN A4



***) All roll units are supplied with each two adapters 3" to 2" core.**

TECCO:PRODUCTION CH355SP matt (165 g/sqm)

Coated paper, high resolution, 1440 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

5951211297 100 sheets
5951297420 100 sheets
5951330483 100 sheets
5951420594 100 sheets
5951480628 100 sheets

DIN A4
DIN A3
DIN A3+
DIN A2
DIN A2+



TECCO:PRODUCTION CH355SP "G" matt (165 g/qm)

Coated paper, high resolution, 1440 dpi, for poster plots in photo quality, **universal paper with excellent price / performance ratio**

5951211297G 100 sheets
5951297420G 100 sheets
5951330483G 100 sheets
5951420594G 100 sheets

DIN A4
DIN A3
DIN A3+
DIN A2



***) All roll units are supplied with each two adapters 3" to 2" core.**

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION DMC170 DUO

(170 g/qm)



The mark of responsible forestry

Premium double side coated paper, high resolution, 2880 dpi, e. g. for poster plots, tickets, business cards, invitations, certificates, menus etc.



5946610020 roll 61,0 cm x 20 m (24") 2"



TECCO:PRODUCTION CHWF

(140 g/qm)

Coated paper, high resolution, for poster plots

6031210297 50 sheets DIN A4
 6031297420 50 sheets DIN A3
 6031330483 50 sheets DIN A3+
 6031420594 100 sheets DIN A2
 6031432021 roll 43,2 cm x 20 m (17") 3" *)
 6031610020 roll 61,0 cm x 20 m (24") 2"
 6031914020 roll 91,4 cm x 20 m (36") 2"
 6031107020 roll 106,7 cm x 20 m (42") 2"
 6031111020 roll 111,8 cm x 20 m (44") 2"
 6031127020 roll 127,0 cm x 20 m (50") 2"
 6031135020 roll 135,0 cm x 20 m (53,125") 3" *)



*) All roll units are supplied with each two adapters 3" to 2" core.

6031999998 Sample 43,2 cm x 5 m (17") 3" *)

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION CHSWF 'Heavy' Glossy (180 g/sqm)

Cast coated glossy paper, high resolution, 1440 dpi, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6028210010	roll	21,0 cm x 10 m (8,3")	2"
6028329010	roll	32,9 cm x 10 m (13")	2"
6028420010	roll	42,0 cm x 10 m (16,5")	1"
6028610020	roll	61,0 cm x 20 m (24")	2"
6028914020	roll	91,4 cm x 20 m (36")	2"
6028914021	roll	91,4 cm x 20 m (36")	3" *)
6028107020	roll	106,7 cm x 20 m (42")	2"
6028111020	roll	111,8 cm x 20 m (44")	2"
6028127020	roll	127,0 cm x 20 m (50")	2"
6028132020	roll	132,0 cm x 20 m (52")	2"
6028135020	roll	135,0 cm x 20 m (53,125")	3" *)
6028137020	roll	137,0 cm x 20 m (54")	2"
6028152020	roll	152,4 cm x 20 m (60")	2"
6028999999	Sample	61,0 cm x 5 m (24")	2"



TECCO:PRODUCTION CHS-GLU Heavy-Gloss (280 g/qm)

Very heavy glossy paper, PE coated, high resolution, microporous, 2880 dpi, suitable for both hot and cold lamination, tearproof

6853432020	roll	17" x 20 m	3"
6853610020	roll	24" x 20 m	3"
6853914019	roll	36" x 20 m	2"
6853914020	roll	36" x 20 m	3"
6853107020	roll	42" x 20 m	3"

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION Satin 165 (165 g/sqm)

PE-coated, high resolution, for production and photography applications

8402610030	roll	61,0 cm x 30 m (24")	2"
8402914030	roll	91,4 cm x 30 m (36")	2"
8402107030	roll	106,7 cm x 30 m (42")	2"
8402999999	Sample	61,0 cm x 5 m (24")	2"

TECCO:PRODUCTION CHS-SMP Semiglossy (170 g/sqm)

Universal semi matt paper, double side PE-coated, microporous, high resolution, 2880dpi, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6507360030	roll	36,0 cm x 30 m (14,17")	2"
6507432031	roll	43,2 cm x 30 m (17")	3" *)
6507610030	roll	61,0 cm x 30 m (24")	2"
6507914031	roll	91,4 cm x 30 m (36")	3" *)
6507999997	Sample	43,2 cm x 5 m (17")	3" *)
6507999998	Sample	61,0 cm x 5 m (24")	3" *)



TECCO:PRODUCTION MP250 warm-tone Semiglossy (250 g/qm)

Microporous PE-Semiglossy-Paper, 5760 dpi, with ivory-tone surface; Ideal for posterprinting, production and FineArt applications

6764610040	roll	61,0 cm x 40 m (24")	2"
------------	------	----------------------	----



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION Vinyl WF/II

(80 µ)

Self-adhesive vinyl, white, matt, high resolution, for uneven surfaces, suitable for OUTDOOR applications when laminated

***) All roll units are supplied with each two adapters 3" to 2" core.**

6050432021	roll	43,2 cm x 20 m (17")	2"
6050610020	roll	61,0 cm x 20 m (24")	2"
6050914020	roll	91,4 cm x 20 m (36")	2"
6050914021	roll	91,4 cm x 20 m (36")	3" *)
6050107020	roll	106,7 cm x 20 m (42")	2"
6050107021	roll	106,7 cm x 20 m (42")	3" *)
6050112020	roll	111,8 cm x 20 m (44")	2"
6050127020	roll	127,0 cm x 20 m (50")	2"
6050127021	roll	127,0 cm x 20 m (50")	3" *)
6050135021	roll	135,0 cm x 20 m (53,125")	3" *)
6050999999	Sample	61,0 cm x 5 m (24")	2"
6050999998	Sample	61,0 cm x 5 m (24")	3" *)



TECCO:PRODUCTION Backlit Premium WF

(145 µ)

Polyester film for front printing with brilliant prints in premium quality, high resolution, especially suitable for applications under high humidity and condensation conditions and universal useable

***) All roll units are supplied with each two adapters 3" to 2" core.**

6057210297	50 sheets	DIN A4	
6057297420	50 sheets	DIN A3	
6057330483	50 sheets	DIN A3+	
6057420594	100 sheets	DIN A2	
6057432021	roll	43,2 cm x 20 m (17")	3" *)
6057610020	roll	61,0 cm x 20 m (24")	2"
6057914020	roll	91,4 cm x 20 m (36")	2"
6057107020	roll	106,7 cm x 20 m (42")	2"
6057111020	roll	111,8 cm x 20 m (44")	2"
6057127020	roll	127,0 cm x 20 m (50")	2"
6057135020	roll	135,0 cm x 20 m (53,125")	3" *)
6057137020	roll	137,2 cm x 20 m (54")	2"
6057999998	Sample	43,2 cm x 5 m (17")	3" *)



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION Vinyl Banner WR (570 µ)

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with

***) All roll units are supplied with each two adapters 3" to 2" core.**

6403432016 roll

43,2 cm x 15 m (17") 3" *)



TECCO:PRODUCTION Vinyl Banner WF (350 µ)

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks

6056610015 roll

61,0 cm x 15 m (24")

2"

6056914015 roll

91,4 cm x 15 m (36")

2"



TECCO:PRODUCTION Aquarellpaper (160 g/qm)

Water color paper

***) All roll units are supplied with each two adapters 3" to 2" core.**

6045210297 50 sheets

DIN A4

6045432011 roll

43,2 cm x 10 m (17")

3" *)

6045914010 roll

91,4 cm x 10 m (36")

2"

6045999999 **Sample**

91,4 cm x 5 m (36")

2"



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER PRODUCTION

TECCO:PRODUCTION Synthetic Paper WF (90 g/sqm)

Polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

***) All roll units are supplied with each two adapters 3" to 2" core.**

6054210297 50 sheets
6054297420 50 sheets
6054420594 100 sheets

DIN A4
DIN A3
DIN A2



TECCO:PRODUCTION UNIVERSAL Transferpapier (170 g/sqm)

Transferable Inkjet coated film with removable basis paper. For photo-realistic printouts to transfer on textiles, vinyl and different substrate

***) All roll units are supplied with each two adapters 3" to 2" core.**

6043210297 10 sheets
6043297420 10 sheets
6043914020 roll
6043914021 roll

DIN A4
DIN A3
91,4 cm x 20 m (36") 2"
91,4 cm x 20 m (36") 3" *)

6043999999 **Sample**

91,4 cm x 5 m (36") 2"

TECCO:PRODUCTION Tyvek SEPIA WF Matt (150 g/qm)

Strong, tear proof, paper-like product, e. g. for banner printing and other outdoor applications

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEU 6034329021 roll
NEU 6034420021 roll
6034610021 roll

32,9 cm x 20 m (13")
42,0 cm x 20 m (16,5")
61,0 cm x 20 m (24") 3" *)

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

TECCO:PAPER LASER

TECCO:LASER LC 3 (100 µ)
Transparency film with printed side stripe

5710210297 50 sheets DIN A4



TECCO:LASER MD120 (120 g/qm)
Matt paper, for high color fidelity laser printing.
Suitable for Duplex printing.

6810210297 500 sheets DIN A4
6810297420 500 sheets DIN A3



TECCO:LASER ME105/SK (185 g/qm)
105 g/qm w/o paperback White self-adhesive matt paper
185 g/qm with paperback

5719210297 50 sheets DIN A4
5719297420 50 sheets DIN A3
5719305457 50 sheets A3 ÜF
5719320450 50 sheets SRA 3
5719328453 50 sheets A3Nobi
5719330483 50 sheets DIN A3+



E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

EFI Paper

Best Proof Paper 5150 Glossy

(150 g/m²)

Glossy coated paper, extremely short drying time, wipefast, suitable for the Proof segment and for other applications with high color fidelity.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6065329010	roll	32,9 cm x 10 m (13")	2"
6065360030	roll	36,0 cm x 30 m (14,17")	2"
6065610031	roll	61,0 cm x 30 m (24")	2"
6065914031	roll	91,4 cm x 30 m (36")	2"
6065107030	roll	107,0 cm x 30 m (42")	2"
6065112031	roll	111,8 cm x 30 m (44")	2"
6065127030	roll	127,0 cm x 30 m (50")	2"
6065135030	roll	135,0 cm x 30 m (53 1/8")	3" *)
6065610030	sample	61,0 cm x 5 m (24")	2"

EFI Proof Paper 5180 Heavy-Gloss

(180 g/m²)

Heavy weight glossy paper, extremely short drying time, wipefast, suitable for the Proof segment and for other applications with high color fidelity.

6067329010	roll	32,9 cm x 10 m (13")	2"
6067360020	roll	36,0 cm x 20 m (14,17")	2"
6067610020	roll	61,0 cm x 20 m (24")	2"
6067610022	roll	61,0 cm x 20 m (24")	3"
6067914020	roll	91,4 cm x 20 m (36")	2"
6067914022	roll	91,4 cm x 20 m (36")	3"
6067107020	roll	106,7 cm x 20 m (42")	2"
6067112020	roll	111,8 cm x 20 m (44")	2"
6067112022	roll	111,8 cm x 20 m (44")	3"
6067127020	roll	127,0 cm x 20 m (50")	3"
6067135020	roll	135,0 cm x 20 m (53,125")	3"
6067999999	Muster	61,0 cm x 5 m (24")	2"

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

EFI Paper

EFI Proof Paper 9190 Matt

(190 g/m²)



Heavy matt coated, taylor made for proofing applications. For affordable prints with high color fidelity. The special coloring and the high L-value make this paper especially suitable for the simulation of matt printing media.

***) All roll units are supplied with each two adapters 3" to 2" core.**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

6517210297	100 sheets	DIN A4	
6517241340	100 sheets	SUPER A4	
6517297420	100 sheets	DIN A3	
6517330483	100 sheets	DIN A3+	
6517329558	100 sheets	A3++	
6517420594	100 sheets	DIN A2	
6517594841	100 sheets	DIN A1	
6517254030	roll	25,4 cm x 30 m (10")	2"
6517329010	roll	32,9 cm x 10 m (13")	2"
6517360030	roll	36,0 cm x 30 m (14,17")	2"
6517432031	roll	43,2 cm x 30 m (17")	3" *)
6517457025	roll	45,7 cm x 25 m (18")	2" ***)
6517508030	roll	50,8 cm x 30 m (20")	2"
6517610031	roll	61,0 cm x 30 m (24")	3" *)
6517914031	roll	91,4 cm x 30 m (36")	3" *)
6517107030	roll	106,7 cm x 30 m (42")	2"
6517112031	roll	111,8 cm x 30 m (44")	3" *)
6517127030	roll	127,0 cm x 30 m (50")	2"
6517135030	roll	135,0 cm x 30 m (53,125")	3" *)
6517162031	roll	162,6 cm x 30 m (64")	3" *)
6517999998	sample	43,2 cm x 5 m (17")	3" *)

EFI Proof Paper 8180 Semiglossy

(180 g/m²)



Universal semi gloss paper, PE microporous coating, for proofs with high color fidelity and further applications. This paper is characterised by an extremely wide colour gamut.



9511210297	100 sheets	DIN A4	
9511241340	100 sheets	Super A4	
9511297420	100 sheets	DIN A3	
9511330483	100 sheets	DIN A3+	
9511329010	roll	32,9 cm x 10 m (13")	2"
9511329025	roll	32,9 cm x 25 m (13")	2"
9511360025	roll	36,0 cm x 25 m (14,17")	2"
9511999997	Sample	36,0 cm x 5 m (14,17")	2"

E.O.L. 01-2012

All prices are special net prices as long as items are available on stock

Wipefast

Water resistant

Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

Special characteristics
(depending on ink used)

EFI Paper

EFI Proof Premium Paper 8260 Semiglossy

(260 g/sm²)



Premium Proof paper, semiglossy, wipe fast, very fast drying and for universal use. The outstanding color gamut of this especially for offset printing developed paper is compatible to the paper types classes 1 and 2 of the ISO 12647-2. The paper white is close to the isocoated value, and with it's high L-value you can easily do a paper white simulation. The LAB values are 96.3; -0.1; -4.3, and the opacity is 98 %. Furthermore this Premium Proof paper has a PE microporous coating and a very good flatness, even when using rolls.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6086210297	100 sheets	DIN A4		
6086254031	roll	25,4 cm x 30 m (10")	3" *)	
6086329010	roll	32,9 cm x 10 m (13")	2"	

EFI Laser Paper DUO-Semimatt 105SM

(105 g/qm)



Semimatt paper, for high color fidelity laser printing. Appearance similar to offset production paper (LAB-value: 93, 1, -1.7). Lower toner consumption enables faster running. Optimal toner adhesion allows folding. Suitable for duplex printing.

7104210297	200 sheets	DIN A4		
7104241340	200 sheets	SUPER A4		
7104297420	200 sheets	DIN A3		
7104305457	200 sheets	A3 ÜF		
7104320450	200 sheets	SRA 3		
7104328453	200 sheets	SUPER A3		
7104328900	200 sheets	328 x 900 mm Banner 1		

Product specifications and prices subject to change without prior notice.



Tecco GmbH

Buchholzstraße 79 - 51469 Bergisch Gladbach - Germany - Phone: +49-(0)2202-2924-0 - Fax: +49-(0)2202-2924-99

e-Mail: contact@tecco.de

<http://www.tecco.de>

January 2012

Sizes: 10 x 15 cm: 102 x 152 mm
 US-executive: 184 x 267 mm
 DIN A4: 210 x 297 mm
 US-letter: 216 x 280 mm
 US-legal: 216 x 356 mm
 SUPER A4: 241 x 340 mm
 US-tabloid: 280 x 432 mm
 DIN A3: 297 x 420 mm
 A3 ÜF: 305 x 457 mm
 SRA 3: 320 x 450 mm
 SUPER A3: 328 x 453 mm
 DIN A3+: 330 x 483 mm
 A3++: 329 x 558 mm
 DIN A2: 420 x 594 mm
 DIN A2+: 480 x 628 mm
 DIN A1: 594 x 841 mm
 DIN A1+: 625 x 914 mm
 DIN A0: 841 x 1189 mm
 DIN A0++: 914 x 1250 mm
 Banner 1: 328 x 900 mm
 Banner 2: 215 x 1200 mm
 Banner 3: 328 x 1200 mm
 Banner 4: 297 x 900 mm
 Banner 5: 215 x 900 mm
 Banner 6: 297 x 840 mm
 Banner 7: 297 x 1200 mm
 Banner 8: 320 x 1200 mm

